OSRAM

LEDinspect PRO TORCH 1200



Up to 680m beam
See further thanks to LED technology and adjustable beam focus



Bright LED Output 1200 Lumen output to illuminate the dark effortlessly



5 light levels
Extend the run time up to 48
hours with power saving
modes plus emergency flash



Rechargeable
Recharge quickly via USB-C
cable (included)



Rugged, durable, and precise flashlight with 1200 Lumen illumination

The OSRAM LEDinspect™ PRO TORCH 1200 is a high-performance LED torch designed for professionals who require exceptional brightness and durability. Built with a rugged aluminium body and a rubber grip handle, it offers a comfortable hold, making it suited for demanding work environments.

With an impressive 1200 lumens on High, this torch provides powerful, high-intensity lighting using advanced high-powered LED technology. The zoom function allows for effortless adjustment between a wide flood beam and a precision spotlight, ensuring optimal visibility for any task. Featuring five lighting modes – High, Mid, Low, Eco, and Flash – it adapts to different needs, delivering up to 48 hours of runtime in Eco mode for extended operation. Engineered for tough conditions, the IP44 rating offers protection against dust and water splashes, ensuring reliability indoors and outdoors. Powered by a 4000mAh Liion rechargeable battery, it provides up to 4 hours of runtime on High, 6 hours on Mid, 12 hours on Low, and charges fully in 5-6 hours, keeping you ready for any task.

Product family datasheet

Technical data

Product description

INSPECTION LAMP

	Product info	mation	General Produ	ct	Electri	cal Data	
Product description	Application (and Product		Global order reference		Nomin	al voltage	Nominal wattage
INSPECTION LAMP	LED inspection lights LEDII		LEDIL432	DIL432			13 W
	Photometric Data Physica		al Attributes & Dimensions				
Product description	Light color LED	Nomina flux	l luminous	Height		Wic	dth
INSPECTION LAMP	White	te 1200 lm 1		192.0 n	192.0 mm		5 mm
					LED me		olors & materials
Product description	Length		Product weight		Number of Bas LEDs per module		ase color
INSPECTION LAMP	41.5 mm	mm 254.00 g			1		ack / Orange
	Lifetime Data	Capabilit	lities Logistical dat			Environmental & Regulatory	

Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) Candidate list

substance 1

Lead

Product description	CAS No. of substance	Safe use instruction	Declaration no. in	
	1		SCIP database	
INSPECTION LAMP	7439-92-1	The identification of	9a8bc284-996c-	
		the Candidate List	44a5-ab0f-	
		substance is	886d71642705	
		sufficient to allow		
		safe use of the		
		article.		

14.40

Watt hour per battery

Technology

LED

Guarantee

2 years

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions



User instruction LEDinspect PRO TORCH 1200

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.