


BATTERYstart 300

Jump starters



Engine size compatibility

To jump start 12 V vehicles with up to 6 L petrol engines and 3 L diesel engines



Battery Power

Powerful 13,000 mAh Lithium Cobalt battery



Powerbank-Function

Charging electronic devices including smart phones and tablets



Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart300 compact Lithium Cobalt LiCoO₂ jump starter for small to medium 12V vehicles up to 6L petrol engines and 3L diesel engines. Smaller in size than most typical jump starters, the BATTERYstart300 is a compact solution without compromising on power. It includes intelligent safety clamps to keep the jump starter, user and vehicle safe with reverse-polarity, anti-spike and short circuit protection. Comes with a bright LED light and a power bank feature, which allows you to charge electronic devices on the go – just connect a USB charger and the power bank will kick in.

Product family datasheet

Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 300 ¹⁾	Better	6 l	3 l	2

Product description	12V Power socket connection	Electrical Data		Physical Attributes & Dimensions
		Cranking Amps	Peak Amps	Length
BATTERY start 300 ¹⁾	n/a	300	1500	168.0 mm





Product description	Width	Height	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
			Date of declaration	Candidate list substance 1
BATTERY start 300 ¹⁾	88.0 mm	33.0 mm	22-09-2024	Lead

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
BATTERY start 300 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ada11f03-1c52-4c49-9f3f-4ab9687039c7

¹⁾ Up to 6L Petrol 3L Diesel

Product family datasheet

Download Data

File	
	User instruction BATTERYstart
	Movie application BatteryStart How to Video (ITA)
	Movie application BatteryStart How to Video (EN)
	Product movie OSRAM BATTERYstart 300 Product Video (EN)

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.